




Conveyor system XH - links and chains




Each link kit contains 10 links, 10 plastic pivots, and 10 stainless steel pins, unless otherwise specified. Material abbreviations: see page 3.

Plain chain



| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|----------|------------|---------------------|------------|-------------|-------------------------|-----------------|
| XHTP 5 | XHTL 103 | 5056312 | | 40 g | POM B | See link |
| 3924112 | XHTL 103 | 5056313 | | 40 g | POM B | PVDF |
| XHTP 5 E | XHTL 103 E | 5056314 | | | POM B COND | See link |
| 3904770 | 3904769 | 5056315 | | 41 G | POM B polished | POM B |
| 3927366 | 3927365 | 5056318 | | | POM B GY | POM B |
| 3926407 | 3926408 | 5056320 | | | POM B BK | POM B |
| 3927487 | 3927486 | 5056321 | | 39 g | POM B ISD GY | POM B ISD |
| 3925940 | 3925939 | 5056323 | | | POM B ISD NAT | POM B ISD |
| 3905384 | 3905383 | 5056324 | | | PVDF | See link |
| XHTP 5 C | n.a. | n.a. | | | POM B ultra wear resist | POM B |
| 5113238 | 5113239 | (For Optical trays) | | | POM B GY | POM B |

Plain chain with elevated surface






For drainage.

| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|---------|---------|-------------|------------|-------------|----------------|-----------------|
| 3924104 | 3904673 | 5056592 | | 46 g | POM A | PVDF |

Intro
X45
X45H
XS
XL
X65
XM
X85
X85X
XH
XK
X180
X180X
X300
X300X
XT
WL
IDX




Friction top chain



Friction insert is polyether-polyamide.

| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|----------|------------|-------------|------------|-------------|----------------|-----------------|
| XHTP 5 F | XHTL 103 F | 5056593 | | 42 g | POM B | See link |



Flat top friction chain



Friction insert is polyether-polyamide. Slope <math><30^\circ</math>. Light goods: blister packs, small boxes, etc.

| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|-----------|-------------|-------------|------------|-------------|----------------|-----------------|
| XHTP 5 FA | XHTL 103 FA | 5058544 | | 40 g | POM B | See link |




Steel top chain, fingered



Top surface is stainless steel. Cast-metal products. Accumulation.

| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|-----------|-------------|-------------|------------|-------------|----------------|-----------------|
| XHTP 5 TF | XHTL 103 TF | 5056594 | | 68 g | POM B + SS | POM B |



Cleated chain



Center positioning.

| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|----------------|---------------|-------------|------------|-------------|----------------|-----------------|
| XHTF 5X15 A... | XHTL 103X15 A | 5056595 | h=15 mm | 51 g | POM B | See link |
| XHTF 5X20 A... | XHTL 103X20 A | 5056596 | h=20 mm | 55 g | POM B | See link |
| XHTF 5X30 A... | XHTL 103X30 A | 5056597 | h=30 mm | 62 g | POM B | See link |
| XHTF 5X40 A... | XHTL 103X40 A | 5056598 | h=40 mm | 76 g | POM B | See link |



Cleated chain



Cylindrical rollers. Wet applications. Cleated chain consists of flat top links 3904673 combined with cleated links 3903880. Also See link type 3904673.

| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|----------------|---------|-------------|------------|-------------|----------------|-----------------|
| 3903881 PAR... | 3903880 | 5056599 | | (65 g) | POM A | PVDF |
| | 3904673 | 5056592 | | | | |

Cleated chain






Cylindrical rollers. Wet applications. Cleated chain consists of flat top links 3904673 combined with cleated links 3904674. Also See link type 3904673.

| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|----------------|---------|-------------|------------|-------------|----------------|-----------------|
| 3924105 PAR... | 3904674 | 5056600 | | 65 g | POM A | PVDF |
| | 3904673 | 5056592 | | | | |

Intro
X45
X45H
XS
XL
X65
XM
X85
X85X
XH
XK
X180
X180X
X300
X300X
XT
WL
IDX



Cleated chain



Cardboard boxes. Suitable to reduce accumulation forces in slopes (10°-20°).



| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|----------------|---------|-------------|------------|-------------|----------------|-----------------|
| 3924103 PAR... | 3903649 | 5056601 | | (52 g) | POM B | See link |

Cleated chain





| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|----------------|---------|-------------|------------|-------------|----------------|-----------------|
| 3905326 PAR... | 3905325 | 5056602 | | 43 g | POM A | See link |

Flocked chain



| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|---------|---------|-------------|------------|-------------|----------------|-----------------|
| 5113723 | | | 103 | | POM B | See link |

Roller top chain





Link cannot be used together with plain links. Accumulation of parcels for lower pressure.

| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|--------|------------|-------------|------------|-------------|----------------|-----------------|
| XHTR 5 | XHTL 103 R | 5056603 | | 79 g | POM B | See link |

(3902819 Roller, order in multiples of 200 Pcs)

Roller cleat chain



* R1 can not be ordered. Roller support items in steel and aluminium. Vertical transport of cardboard boxes. Link kit 5056604: 1 link XHTL 103X46 R with pivot and steel pin.

| Chain | Link(s) | Link kit(s) | Dimensions | Link weight | Material, link | Material, pivot |
|-----------------|---------------|-------------|------------|-------------|----------------|-----------------|
| XHTF 5X46 R...* | XHTL 103X46 R | 5056604 | | 158 g | POM B | See link |

Intro
X45
X45H
XS
XL
X65
XM
X85
X85X
XH
XK
X180
X180X
X300
X300X
XT
WL
IDX